



# ACCESSIBILITY EVALUATION REPORT

---



# GLOSSARY

**GUIDELINE SET:** set composed of one or more guidelines.

**GUIDELINE:** it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

**CRITERION:** it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

**CHECKPOINT:** consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".




# EVALUATION OVERVIEW

BASE URL	<a href="https://www.alberghierofiuggi.edu.it/">https://www.alberghierofiuggi.edu.it/</a>
CRAWLING PARAMETERS	
Number of pages	50
Depth	1
NUMBER OF EVALUATED WEB PAGES	50
EVALUATION DATE	13 nov 2023,
EVALUATION TIME	19:40

## MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


88%



## MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

90%





# EVALUATION OVERVIEW

## TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

**18**

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

**22953**

TOTAL ERROR OCCURENCIES FOUND

**459**

AVERAGE ERROR OCCURENCIES PER PAGE

## TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

**8**

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

**15730**

TOTAL WARNINGS OCCURENCIES FOUND

**314**

AVERAGE WARNING OCCURENCIES PER PAGE



# EVALUATION OVERVIEW

## MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.


1. <https://www.alberghierofiuggi.edu.it/argomento/regolamenti/>
2. <https://www.alberghierofiuggi.edu.it/tipologia-servizio/famiglie-e-studenti/>
3. <https://www.alberghierofiuggi.edu.it/tipologia-servizio/personale-scolastico/>



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/regolamenti/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	169
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/regolamenti/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	169
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/regolamenti/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	169
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/tipologia-servizio/famiglie-e-st>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/tipologia-servizio/famiglie-e-st>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-servizio/famiglie-e-st>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-servizio/personale-sco>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-servizio/personale-sco>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-servizio/personale-sco>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizi/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	190
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizi/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	190
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizi/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	190
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/la-storia/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	72



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	7
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/la-storia/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	72
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	7
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/la-storia/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	72
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	7
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-articolo/notizie/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	92



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	5
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	175
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-articolo/notizie/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	175
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	92
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	5



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-articolo/notizie/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	92
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	5
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	24
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	175
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/novita/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	47
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	6
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	21
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	21
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	6





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	100
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	220
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	220
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	375
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/novita/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	375
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	100
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	21
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	21
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	220
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	220
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	6
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	47
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/novita/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	21
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	100
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	47
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	21
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	6
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	220
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	220
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	375
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	163
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/indirizzo-di-studio/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	144
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/indirizzo-di-studio/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	144
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/indirizzo-di-studio/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	144
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/evento/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	64



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/evento/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	64
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/evento/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	64
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/circolare/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	93



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	174
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/circolare/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	174
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	93
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/circolare/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	93
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	174
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-documento/albo-online>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	188
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-documento/albo-onlin>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	188
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/tipologia-documento/albo-online>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	23
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	162
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	162
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	188
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-progetto/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-progetto/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-progetto/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	19
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	159
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	159
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	135
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-didattica/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	30
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	162
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-didattica/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	30
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	162
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scheda-didattica/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	30
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	162
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/offerta-formativa/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	17
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/offerta-formativa/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	17
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/offerta-formativa/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	17
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	140
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	10
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	19
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	19
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	10
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	41
OPERABLE		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	210
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	210
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	254
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
ROBUST		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	254
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	41
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	19
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	19
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	210
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	210
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	10
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	10
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/didattica/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	19
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	70
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	41
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	10



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	21
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	19
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	10
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	210
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	210
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	254
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/sede-di-fiuggi/convitto/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	27
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	89



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/sede-di-fiuggi/convitto/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	27
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	89
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/sede-di-fiuggi/convitto/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	89
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	27
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/orario/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/orario/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/orario/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	164
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/libri-di-testo/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	168
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/libri-di-testo/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	168
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/libri-di-testo/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	168
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	273
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	411
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	411
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	1150
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	273
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	1150
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	411
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	411
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	273
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	411
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	411
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	1150
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	20
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	20
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	10



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	20
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	20
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	20



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	31
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	20
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	10
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/presentazione/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/presentazione/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/presentazione/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	79





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	165
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	165
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	198
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	18
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	18
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	198
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	79
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	165
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	165
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	18
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	18
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	18
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	79
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	9
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	18
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	18
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	165
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	165
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	198
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/privacy-policy/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	136
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/privacy-policy/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	136
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/privacy-policy/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	25
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	167
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	167
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	136
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	189
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	189
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	263
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	263
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	189
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	189
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	22
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	189
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	189
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	263
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	78
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	233
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	233
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	429
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	78
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	429
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	233
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	233
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	78
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	233
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	233
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	429
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/i-numeri-della-scuola>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	157
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	157
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	138
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/la-scuola/i-numeri-della-scuola>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	138
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	157
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	157
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
<b>RESPONSIVE</b>		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/la-scuola/i-numeri-della-scuola>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	67
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	20
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	157
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	157
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	138
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scuola/le-persone/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	18
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scuola/le-persone/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/scuola/le-persone/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	18
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	160
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	160
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	137
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/luogo/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	62
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	32
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	197
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	64
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	64
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	32
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	197
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	64
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	64
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	61
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	64



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	32
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	64
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	197
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	18
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	29
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	182
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	182
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	158
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	29
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	158
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	182
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	182
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	29
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	182
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	182
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	158
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/51-2/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	179
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	179
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	165
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	16
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	16
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/51-2/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	165
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	179
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	179
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	16
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	16
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/51-2/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	16



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	33
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	16
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	179
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	179
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	165
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	146
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	146
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/struttura/organigramma-e-funz>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	28
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	146
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/circolare-n-68-com>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/circolare-n-68-con>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4





# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/documento/circolare-n-68-com>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/uda-interdisciplinari/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	151
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/uda-interdisciplinari/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	151
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/servizio/uda-interdisciplinari/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	68
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	170
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	170
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	151
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	20
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/circolare/consigli-di-classe-nov>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/circolare/consigli-di-classe-nov>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4



# PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/circolare/consigli-di-classe-nov>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	69
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	26
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	171
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	171
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/scuola-futura/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/scuola-futura/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/scuola-futura/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/unita-di-apprendimento>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/argomento/unita-di-apprendimento>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/unita-di-apprendimento>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/uda/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/uda/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/uda/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	74
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	180
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	180
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/direttiva/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	99



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	181
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	181
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/direttiva/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	99
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	181
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	181
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/direttiva/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	99
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	181
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	181
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/convocazione/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/convocazione/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/convocazione/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/schede-didattiche/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/schede-didattiche/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/schede-didattiche/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/assemblea-sindacale>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/argomento/assemblea-sindacale>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/assemblea-sindacale>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	98
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	186
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/circolare/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/circolare/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/circolare/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/sciopero/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	36
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	94



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	181
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/sciopero/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	36
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	181
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	94
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/sciopero/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	94
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	36
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	174
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	174
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	181
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/libri-di-testo/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	185
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/libri-di-testo/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	185
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/libri-di-testo/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	38
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	177
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	177
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	185
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/next-generation-cla>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7






# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/argomento/next-generation-cla>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3




# PAGES EVALUATION

PAGE URL:

<https://www.alberghierofiuggi.edu.it/argomento/next-generation-cla>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/docenti/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/docenti/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/docenti/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	88
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	34
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	172
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	172
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	173
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario-provvisorio/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario-provvisorio/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2
RESPONSIVE		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://www.alberghierofiuggi.edu.it/argomento/orario-provvisorio/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	91
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	35
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	173
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	173
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	177
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	7

---

# HIIS LAB @ ISTI-CNR

Pisa • Italy

---

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

**<http://hiis.isti.cnr.it/lab/home>**